

(1) Unit Assessment Certificate

- (2) European Union Declaration of conformity for Group II Category 3G equipment in accordance with Directive 2014/34/EU Annex VIII.
- (3) Document Number:

EX-MA18ATEX2021X**

- (4) We, Ex-Machinery, Amerweg 4, 3336 LA, Zwijndrecht, The Netherlands herewith declare that:
- (5) The apparatus: Explosion proof Air Conditioner 7,1 kW
Consisting of: Explosion proof wall mount indoor unit, outdoor unit and I.R. remote control
Converted to: II 3G IIC T3
Type: Ex-MW 71
Supply: 230 VAC 1 ph 50/60Hz
Quantity: 1 piece(s)
File: TCF****
Serial No.: EX-M18****.
- (6) is in conformity with the provisions of the following European Union directive, including the latest amendments, and with national legislation implementing this directive: 2014/34/EU; concerning equipment and protective systems intended for use in potentially explosive atmospheres
- (7) and that the following harmonized standards have been applied in design and construction:

EN 60079-0 EN 60079-11 EN 60079-15 EN 80079-36 EN 80079-37

- (8) The marking of the apparatus includes the following:

 **II 3G Ex ic nAC h IIC T3 Gc**

- (9) The apparatus in its basic version is originally manufactured by: OEM
- (10) Assessment and conversion to explosion safe is carried out by: Ex-Machinery Explosion Proof Equipment B.V., Amerweg 4, 3336 LA, Zwijndrecht, The Netherlands.
- (11) On behalf of: CLIENT
- (12) This declaration does not imply that the apparatus meets all statutory requirements in any particular industry and/or circumstance.

Ex-Machinery Explosion Proof Equipment B.V.

Zwijndrecht, 24-2-2018


G.A. van Tienhoven M.Sc. Engineering
IECEx Competent Person



**IECEx Certificate
Personnel Competence**

(X) Special conditions for safe use are specified in the accompanying user manual of the equipment

THIS DECLARATION IS NOT A WARRANTY OF ATTRIBUTES WITHIN THE MEANING OF THE LAW CONCERNING PRODUCT LIABILITY. THE SAFETY INSTRUCTIONS GIVEN IN THE INSTALLATION MANUAL MUST BE OBSERVED. THE APPARATUS SHALL ONLY BE OPERATED UNDER THE CONDITIONS AS DESCRIBED IN THE USER MANUAL